



SUPERSHOOTER 7

Revised: 2/1/12

CAMERAS & LENSES

- 13 Sony CCU700 CCU's
- 8 Sony BVP-900 Hard Cameras
- 6 Sony BVP-950 Hand Held Cameras
- 8 Canon 70:1 Semi Servo Zoom Lens *
- 6 Canon 20:1 HH Zoom Lens
- 1 Canon 5:2 wide angle lens
- 8 Vinten Vector 70 Pan Heads with ITE Matthews Tripods
- 4 HH Panheads and Tripods

all cameras have 4 point star filters

** 5 lenses Sportvision modified*

PRODUCTION

- Grass Valley Kalypso 80 Input Production Switcher w/4 M/Es, 6 Transform Engines w/ WARP, Klip Cache & 4 Chroma Keyers
- PESA Tiger 96x64 V 96x64 AA Routing Switcher
- Abekas DVEous Dual Twin DVE with CPL control
- 5 Wohler 6-channel Pre-Listen Stations
- 1 Codi Telestrator & Flatscreen monitor
- 1 Lance TDC100 Controller

AUDIO

- Calrec S2 Audio Console - 36 mono & 24 stereo inputs
8 groups, dual master faders, multi-track sends
Dolby Pro-Logic Surround Encoder & Decoder
Cougar 32x64 Audio Monitor Router
- 2 Ashly MX508 8X2 mic/line submixers
- 2 Digicart-E
- 1 Denon DN-C635 CD Player with remote
- 40 Grass Valley Mono Audio Distribution Amplifiers
- 1 Tektronix 760 Phase Scope
- 2 Rane AVA-22 Audio Delay
- 1 Studio Technologies Stereo Synthesizer
- 2 DBX 1046 QUAD compressors
- 1 DBX 900 Frame with 4 - 903 compressors and 4 - 902 de-essers
- 6 Sound Devices MP1 Mic Pre's
- 4 Shure FP-22 Headphone Amps
- 4 Fostex Powered Speakers
- 1 Shure FP31 Microphone mixer

MICROPHONES

- 6 Sennheiser HMD-25-1 Announcer Headsets
- 4 Sennheiser MKH816P48 microphones
- 8 Sennheiser MKH416P48 microphones
- 6 Sennheiser MD46 Dynamic Hand Microphones
- 10 Shure Beta 87 Condenser Hand Microphones
- 10 Sony ECM-77b Condenser Lavalier Microphones

GRAPHICS

Upon Request

CABLE

- 10 500ft. Mini-Triax
- 10 250ft. Mini-Triax
- 10 100ft. Mini-Triax
- 1 100ft. 10 wire Triax Mult
- 10 250ft. DT-12 Audio Mult
- 10 100ft. DT-12 Audio Mult
- 2 50ft. DT-12 Audio Mult
- 4 150ft. 5 wire Coax Mult
- 2 100ft 10 wire Mini Coax
- 1 1500ft TAC-12 ST-ST
- 1 500ft TAC-12 ST-ST
- 1 250ft TAC-12 ST-ST
- 6 200ft BNC Video
- 4 Triax Coax Adapters (sets)
- 150ft. Power Cable
- Assorted Single line Coax & XLR cables

RECORDING & PLAYBACK

- 4 Sony DVW-A500 Digibeta VTR
- 2 Lance HSE 200 Slo Mo Controllers
- 4 EVS XT's Live Slo-Motion System
each with 6 channel capacity
- 1 EVS X-File [2] media server and chassis networking
- 1 EVS XT Spot Box - 4 channel
- 2 Toshiba D-R400 DVD Recorder

COMMUNICATIONS

- Telex ADAM Matrix Intercom - 136 square matrix
- 1 KP98 w/EKP98 expansion panel
- 2 DKP-12 external stations
- 1 PAM-100 dual channel ADAM monitoring only station
- 3 TIF-951 telephone interface
- 12 Wet RTS TW PL Channels
- 12 IFB Channels
- 9 RTS IFB Beltpacks
- 6 GKC T4 4wire Single Channel Beltpacks
- 25 RTS BP-325 Dual Listen Beltpacks
- 4 RTS SPK-300 Biscuit Box User Stations
- 18 Beyer DT-108 Single Muff Headsets (all black)
- 6 Beyer DT-109 Dual Muff Headsets (all black)
- 6 Studio Technologies Model 220 Talent Talkback Boxes
- 6 Motorola Walkie Talkies with 2 interfaced Base Stations
Lucent Partner II Phone System - 12 lines
- 1 Ringdown system

OUTBOARD MONITORS

- 2 19" Flatpanel Color Monitors
- 2 22" Flatpanel Color Monitors
- 6 9" Glass Color Monitors

SUPPORT EQUIPMENT

- 2 Evertz Time Code Reader / Generator / SDI Window Burn
- 6 DPS 475 Frame Syncs with 2 channel audio disembedding
- DPS RC 575 master remote control panel at SVO position
- 3 AJA FS1 multiformat cross-converting frame syncs
configured to embed/disembed AES stems & analog audio
- 14 Grass Valley 8900 series NTSC to SDI Frame Sync
- 10 Grass Valley 8900 series SDI to SDI Frame Sync
- 18 Grass Valley 8900 series SDI to NTSC Encoder
Grass Valley Newton control system
- 2 Leitch 4 Channel SDI analog audio disembedder
- 1 Brighteye23 4 Channel SDI analog audio embedder
- 4 Brighteye71 4 Channel HDSDI analog audio embedder &
disembedder for Sony PDW applications
- 7 Cobalt 5821D ARC / HD downconverter
- 4 FOR-A DCC 700 Digital Color Corrector
- 4 SDI Quad Split Generator
- 8 Outboard PESA Router Heads
- 1 Frequency Agile TV Modulator
- 1 Frequency Agile TV Demodulator (analog RF & CATV signals only)
- 2 Plura HD Video Fiber Transmitters
- 2 DSS Receiver (1 unit in production under production control)
WiFi supports only 802.11g and 802.11 pre-n formats
- 2 Light Kit (3 - 500w lights each)

POWER REQUIREMENTS

208volts, 3 phase, 200 amps

DIMENSIONS

52' long x 13'6" high x 8'6" wide
70' long x 13'6" high x 20' wide - expanded with tractor
54' long x 13'6" high x 20' wide - expanded without tractor
Tractor# PA AE96275 / Trailer # PA PT877G
Total Weight: 79,500 lbs